

Web of Science и Scopus: новые технологические решения для наукометрических исследований персоны (организации)


Мазов Н.А., ИНГГ СО РАН, Новосибирск

Предисловие ...

В последние годы в информационной практике наблюдается возрастающий интерес, привлекаемый к информетрическим исследованиям

Отчасти это связано с тем, что накоплены колоссальные объемы библиографической информации различного вида, требующей качественно новых форм аналитико-синтетической обработки, а с другой стороны это связано с более открытым и публичным доступом к наукометрическим базам данных

Предисловие ...



Динамика роста публикаций по инфометрическому анализу, отобранных по запросу «Topic=((bibliometric* or informetric* or webometric* or scientometric*) and (stud* or analys*))» в базе данных WoS компании Thomson Reuters

Решения ...

SCI on CD 1981-2010

Программно-технологический комплекс разработан в 1995 г. и успешно эксплуатировался 15 лет.

WoS наряду с РИНЦ рекомендован МНО для оценки результативности научной деятельности организаций РАН.

Цель: создание технологического комплекса, позволяющего в автоматизированном режиме оперативно отслеживать основные библиометрические индикаторы.

Web of Knowledge

WEB OF KNOWLEDGESM

DISCOVERY STARTS HERE



[Go to mobile site](#)

[Sign In](#)

[Marked List \(0\)](#)

[My EndNote Web](#)

[My ResearcherID](#)

[My Citation Alerts](#)

[My Saved Searches](#)

[Log Out](#)

[Help](#)

Web of Science

Additional Resources

[Search](#)

[Author Finder](#)

[Cited Reference Search](#)

[Advanced Search](#)

[Search History](#)

Web of Science®

Search

in

Example: oil spill* mediterranean

AND

in

Example: O'Brian C* OR OBrian C*

Need help finding papers by an author? Use [Author Finder](#).

AND

in

Example: Cancer* OR Journal of Cancer Research and Clinical Oncology

[Add Another Field >>](#)

Searches must be in English

Current Limits: (To save these permanently, [sign in](#) or [register](#).)

Timespan

All Years (updated 2012-09-26)

Date Range

From: to:

Use Processing Date instead of Publication Date

Citation Databases

Science Citation Index Expanded (SCI-EXPANDED) --1980-present

Social Sciences Citation Index (SSCI) --1980-present

Conference Proceedings Citation Index- Science (CPCI-S) --1990-present

Conference Proceedings Citation Index- Social Science & Humanities (CPCI-SSH) --1990-present

Adjust your search settings

State Public Scientific
Technical Library, Siberian
Branch of the Russian
Academy of Sciences



Maintenance Alert

Support, Tools, Tips

Training & Support

- [Download quick Recorded Training](#)
- [Access additional Training Resources](#)



- More questions? Consult the [Help files](#).

What's new in Web of Knowledge?

- Researcher ID is now searchable from within *Web of Science*®.
- Automatic spelling variations and all new Author Finder in *Web of Science*®.
- [More of What's New](#)

Featured Tips

- Visualize citation connections at a glance with [Citation Mapping](#) ([view demo](#))
- Identify citation trends graphically with [Citation Report](#) ([view demo](#)).
- [How to update your Researcher ID profile](#).

Customize Your Experience

[Sign In](#) | [Register](#)

- Save and manage your references online with *EndNote Web* – freely available and fully integrated.
- Save and run searches

Web of Knowledge

Open from the Web of Knowledge Server

Use this box to open histories that were saved to your private account on our server.

Display histories from: **Web of Science**

History Name	Product	Description	RSS Feed	Alerting Renew All	Modify Settings	Delete Select All Delete	Open/Ram History
bibliometrics	Web of Science	Bibliometrics		Status: Off	Settings	<input type="checkbox"/>	Open
Lake Balkal	Web of Science	Lake Balkal		Status: On Expires: 2013-03-01 Renew	Settings	<input type="checkbox"/>	Open
WoS_IPGG_005	Web of Science	Compliment 20111022		Status: On Expires: 2013-03-01 Renew	Settings	<input type="checkbox"/>	Open
WoS_IPGG_006	Web of Science	Compliment 20111022		Status: On Expires: 2013-03-01 Renew	Settings	<input type="checkbox"/>	Open
wosipgg001	Web of Science	IPGG SB RAS Doktitors		Status: On Expires: 2013-03-01 Renew	Settings	<input type="checkbox"/>	Open
wosipgg001conf	Web of Science	IPGG SB RAS Doktitors		Status: On Expires: 2013-03-01 Renew	Settings	<input type="checkbox"/>	Open
wosipgg002	Web of Science	IPGG SB RAS Kandidats		Status: On Expires: 2013-03-01 Renew	Settings	<input type="checkbox"/>	Open
wosipgg002conf	Web of Science	IPGG SB RAS Kandidats		Status: On Expires: 2013-03-01 Renew	Settings	<input type="checkbox"/>	Open
wosipgg003	Web of Science	IPGG SB RAS No Step and Aspirants		Status: On Expires: 2013-03-01 Renew	Settings	<input type="checkbox"/>	Open
wosipgg003conf	Web of Science	IPGG SB RAS No Step and Aspirants		Status: On Expires: 2013-03-01 Renew	Settings	<input type="checkbox"/>	Open
wosipgg004	Web of Science	IPGG SB RAS Other		Status: On Expires: 2013-03-01 Renew	Settings	<input type="checkbox"/>	Open
wosipgg004conf	Web of Science	IPGG SB RAS Other		Status: On Expires: 2013-03-01 Renew	Settings	<input type="checkbox"/>	Open
wosipgg005	Web of Science	Russian Geology and Geophysics		Status: On Expires: 2013-03-01 Renew	Settings	<input type="checkbox"/>	Open
wosipgg006	Web of Science	IPGG UT Portal		Status: On Expires: 2013-03-01 Renew	Settings	<input type="checkbox"/>	Open
History Name	Product	Description	RSS Feed	Alerting Renew All	Modify Settings	Delete Select All Delete	Open/Ram History

Display histories from: **Web of Science**

Web of Knowledge

The screenshot displays the Thomson Reuters Web of Knowledge interface. At the top, the logo 'WEB OF KNOWLEDGE' is followed by the tagline 'DISCOVERY STARTS HERE' and the Thomson Reuters logo. A navigation bar includes links for 'Signed In', 'Marked List (0)', 'My EndNote Web', 'My ResearcherID', 'My Citation Alerts', 'My Saved Searches', 'Log Out', and 'Help'. Below this, the 'Web of Science' section is active, with sub-tabs for 'Search', 'Author Finder', 'Cited Reference Search', 'Advanced Search', and 'Search History'. The 'Search History' tab is selected, showing a table with columns 'Set' and 'Results'. The first entry, labeled '# 5', has 1,521 results and is titled '#01 or #02 or #03 or #04: Database=SCI-EXPANDED, SSCI, CPCI-S, CPCI-SSH Timespan=All Years, Lempelization=On'. The second entry, labeled '# 4', has 121 results and is a long list of IDs. The third entry, labeled '# 3', has 500 results and is another long list of IDs. On the right side of the search history table, there are buttons for 'Combine Sets' (AND, OR, Combine) and 'Delete Sets' (Select All, X Delete).

Web of Knowledge

WEB OF KNOWLEDGE™ | DISCOVERY STARTS HERE

THOMSON REUTERS

Signed In | Marked List (0) | My EndNote Web | My ResearcherID | My Citation Alerts | My Saved Searches | Log Out | Help

Web of Science

Additional Resources

Search | Author Finder | Cited Reference Search | Advanced Search | Search History

Web of Science®

Results #01 of #02 or #03 or #04

Timespan=All Years. Databases=SCI-EXPANDED, SSCI, CPCI-S, CPCI-SSH.

Lemmaization=On

Create Alert / RSS

Results: 1 621

Page 1 of 163

Sort by: Times Cited -- highest to lowest

Hide Refine

Refine Results

Search within results for

Search

Web of Science Categories

Refine

- GEOSCIENCES MULTIDISCIPLINARY (892)
 - GEOCHEMISTRY GEOPHYSICS (228)
 - MULTIDISCIPLINARY SCIENCES (162)
 - PALEONTOLOGY (86)
 - GEOLOGY (76)
- more options / values...

Document Types

Refine

- ARTICLE (1,804)
 - PROCEEDINGS PAPER (87)
 - EDITORIAL MATERIAL (44)
 - REVIEW (28)
 - MEETING ABSTRACT (21)
- more options / values...

Research Areas

- Authors
- Group Authors
- Editors
- Source Titles
- Book Series Titles
- Conference Titles
- Publication Years
- Organizations-Enhanced
- Funding Agencies
- Keywords

Save to: ENDNOTE WEB | ENDNOTE | ResearcherID | more options

Analyze Results
Create Citation Report

- 1.** Title: **Assembly, configuration, and break-up history of Rodinia: A synthesis**
Author(s): LI, Z. X.; Bogdanova, S. V.; Collins, A. S.; et al.
Source: PRECAMBRIAN RESEARCH Volume: 160 Issue: 1-2 Pages: 179-210 DOI: 10.1016/j.precamres.2007.04.021 Published: JAN 5 2008
Times Cited: 332 (from Web of Science)
[Full Text](#) | [View abstract](#)
- 2.** Title: **A NEW METHOD OF SEPARATION OF MULTI-ATOMIC IONS BY MOBILITY AT ATMOSPHERIC-PRESSURE USING A HIGH-FREQUENCY AMPLITUDE-ASYMMETRIC STRONG ELECTRIC-FIELD**
Author(s): BURYAKOV, IA; KRYLOV, EV; NAZAROV, EG; et al.
Source: INTERNATIONAL JOURNAL OF MASS SPECTROMETRY AND ION PROCESSES Volume: 128 Issue: 3 Pages: 143-148 DOI: 10.1016/0168-1176(93)87062-W
Published: OCT 29 1993
Times Cited: 183 (from Web of Science)
[Full Text](#) | [View abstract](#)
- 3.** Title: **(40)Ar/(39)Ar dates from the West Siberian Basin: Siberian flood basalt province doubled**
Author(s): Raichow, NK; Saunders, AD; White, RV; et al.
Source: SCIENCE Volume: 296 Issue: 5574 Pages: 1846-1849 DOI: 10.1126/science.1071671 Published: JUN 7 2002
Times Cited: 132 (from Web of Science)
[Full Text](#) | [View abstract](#)
- 4.** Title: **Last glacial maximum biomes reconstructed from pollen and plant macrofossil data from northern Eurasia**
Author(s): Tarasov, PE; Volkova, VS; Webb, T; et al.
Source: JOURNAL OF BIOGEOGRAPHY Volume: 27 Issue: 3 Pages: 609-620 DOI: 10.1046/j.1365-2699.2000.00429.x Published: MAY 2000
Times Cited: 127 (from Web of Science)
[Full Text](#) | [View abstract](#)
- 5.** Title: **Global time scale and regional stratigraphic reference scales of Central and West Europe, East Europe, Tethys, South China, and North America as used in the Devonian-Carboniferous-Permian Correlation Chart 2003 (DCP 2003)**
Author(s): Menning, M.; Alekseev, A. S.; Chuvashov, B. I.; et al.
Source: PALAEOGEOGRAPHY PALAEOCLIMATOLOGY PALAEOECOLOGY Volume: 240 Issue: 1-2 Pages: 318-372 DOI: 10.1016/j.palaeo.2006.03.058 Published: OCT 6 2006
Times Cited: 115 (from Web of Science)

Труды сотрудников ...

The screenshot shows a web browser window displaying a search interface for a database. The browser's address bar shows the URL `http://www.advanced.ru`. The page title is "Поиск в базе данных ТРУДЫ СОТРУДНИКОВ ИНГГ И ИИМ СО РАН". The interface includes a search mode dropdown set to "СТАНДАРТ", a "строк для вывода" (rows to display) dropdown set to "3", and a "форма выдачи" (output form) dropdown set to "Краткая". A search query "Эпос М" is entered in the search field, which is circled in red. The results table shows three entries, all with the author "Аетор(ь)".

№	Поисковое поле	Значение поля	\$	Ссылка
1.	Аетор(ь)	Эпос М	✓	И
2.	Аетор(ь)		✓	И
3.	Аетор(ь)		✓	

\$ - поиск по начальному фрагменту поля (с произвольным окончанием)

Copyright © ИНГГ СО РАН

Труды сотрудников ...

Поиск в базе данных
ТРУДЫ СОТРУДНИКОВ ИИГТ И ИГМ СО РАН
обновление: 3.08.2011
записей: 52219

На запрос "Антонов*Эзов ИЭС" найдено записей: 328

Записи с 311 по 320 из 328 найденных (страница 32 из 33) форма выдачи Короткая по 10

WoS запись 311 из 328 найденных (выданы с 311 по 320)

Труды сотрудников ИИГТ и ИГМ СО РАН (№ 030301)
Эзов И.И., Антонов Е.Ю., Федоров А.И.
Влияние наклона на анизотропию электропроводности на данные частотных и нестационарных индуктивных электромагнитных зондирований // Геол. и геофиз. - 2010. - Т. 51. - № 3. - С. 401-407

WoS запись 312 из 328 найденных (выданы с 311 по 320)

Труды сотрудников ИИГТ и ИГМ СО РАН (№ 030313)
Колотников А.Э., Эзов И.И., Буралин Л.М., Каминский В.Д., Курчилов А.Р., Малышев Н.А., Провалов О.М., Сафронюк А.Ф., Ступаков А.В., Суржиков О.И.
Геология, ресурсы углеводород шельфов арктических морей России в перспективе их освоения // Геол. и геофиз. - 2010. - Т. 51. - № 1. - С. 7-17

WoS запись 313 из 328 найденных (выданы с 311 по 320)

Труды сотрудников ИИГТ и ИГМ СО РАН (№ 030348)
Эзов И.И., Морозов Г.М.
Зондирование стационарным электромагнитного поля в магнитно-связанных средах // Геол. и геофиз. - 2010. - Т. 51. - № 2. - С. 257-263

WoS запись 314 из 328 найденных (выданы с 311 по 320)

Труды сотрудников ИИГТ и ИГМ СО РАН (№ 031762)
Азиев А.В., Шурина Э.П., Эзов И.И.
Исследования влияния давлений стенок скважины на результаты высокочастотного индукционного каротажа // Каротажник. - 2010. - № 6(189). - С. 42-57

WoS запись 315 из 328 найденных (выданы с 311 по 320)

Труды сотрудников ИИГТ и ИГМ СО РАН (№ 030629)
Антонов Ю.И., Эзов И.И., Кабаров К.И.
Новые электромагнитные парапараметрические зондирования [NEW ELECTROMAGNETIC ISOPARAMETRIC SOUNDINGS] // Каротажник. - 2010. - № 5. - С. 81-83

WoS запись 316 из 328 найденных (выданы с 311 по 320)

Труды сотрудников ИИГТ и ИГМ СО РАН (№ 030440)
Эзов И.И., Камров К.Н., Ельцов И.И., Петров А.И., Сухорукова К.В., Соболев А.Ю., Власов А.А.
Новый аппаратный комплекс геофизического каротажа СИТ и программно-методические средства интерпретации EMF PRO // Бурение и нефть. - 2010. - № 2. - С. 15-19

WoS запись 317 из 328 найденных (выданы с 311 по 320)

Труды сотрудников ...

The screenshot shows a search result on the Web of Knowledge platform. The main title of the article is "Geology and hydrocarbon resources of the continental shelf in Russian Arctic seas and the prospects of their development". The authors listed are Kontorovich, A.E.; Erov, N.I.; Burshtain, L.M.; Kaminski, V.D.; Kurchikov, A.R.; Malyshev, N.A.; Prischepa, O.M.; Safranov, A.F.; Stupakova, A.V.; and Suprunenko, O.I. The article is published in "RUSSIAN GEOLOGY AND GEOPHYSICS", Volume 51, Issue 1, Pages 3-11, in January 2010. It has been cited 4 times in Web of Knowledge. The abstract discusses the global demand for gas and oil, and the potential of sedimentary basins in the Arctic Ocean deep-water area. The document is in English and includes keywords like "oil", "gas", "resources", "sedimentary basins", and "Arctic".

Web of Knowledge (v.5.3) - Web of Science - Windows Internet Explorer
http://apps.webofknowledge.com/InboundService.do?DOI=10.1134/S0013788X10000285&App=Alerting&Outfall=http%3A%2F%2Fapps.wk.wiley.com%2Fcustom_images%2Fweb5_faked_auth.htm

WEB OF KNOWLEDGE™ DISCOVERY STARTS HERE THOMSON REUTERS

Web of Science Additional Resources
Search Author Finder Cited Reference Search Advanced Search Search History

Web of Science™ Record 1 of 1 Record from Web of Science™

Geology and hydrocarbon resources of the continental shelf in Russian Arctic seas and the prospects of their development

Author(s): Kontorovich, AE (Kontorovich, A. E.); Erov, NI (Erov, N. I.); Burshtain, LM (Burshtain, L. M.); Kaminski, VD (Kaminski, V. D.); Kurchikov, AR (Kurchikov, A. R.); Malyshev, NA (Malyshev, N. A.); Prischepa, OM (Prischepa, O. M.); Safranov, AF (Safranov, A. F.); Stupakova, AV (Stupakova, A. V.); Suprunenko, OI (Suprunenko, O. I.)

Source: RUSSIAN GEOLOGY AND GEOPHYSICS Volume: 51 Issue: 1 Pages: 3-11 DOI: 10.1134/rgg.2010.12.003 Published: JAN 2010

Times Cited: 4 (from Web of Science)

Cited References: 28 | view related records | Citation Map

Abstract: The overall jump in global demand for gas, and especially oil, gives rise to particular concern regarding mankind's energy future. In the middle and late 21st century, the crucial role in securing oil and gas supply of mankind will be played by sedimentary basins in the Arctic Ocean deep-water area, including those of the continental shelf in Russia's Arctic seas. There is a 0.90 probability that the initial in-place resources of hydrocarbons in the Arctic Ocean will be greater than 90 Bbc. The estimates predict the rise of oil and gas industries on the Arctic shelves in the near future. (C) 2010, IGM, Siberian Branch of the RAS. Published by Elsevier B. V. All rights reserved.

Document Type: Article
Language: English
Author Keywords: oil; gas; resources; sedimentary basins; Arctic
KeyWords Plus: OIL
Reprint Address: Kontorovich, AE (print author), Russian Acad Sci, Siberian Branch, AA Trofimuk Inst Petr Geol & Geophys, 3 Prosp Acad Koptyuga, Novosibirsk 630090, Russia
Addresses: 1, Russian Acad Sci, Siberian Branch, AA Trofimuk Inst Petr Geol & Geophys, Novosibirsk 630090, Russia

Times Cited: 4
This article has been cited 4 times in Web of Knowledge
Kaminski, V. D. The continental shelf of the Russian Arctic region: the state of the art in the study and exploration of oil and gas resources. RUSSIAN GEOLOGY AND GEOPHYSICS, AUG 2011
Shungin, B. N. Comprehensive zonal subdivisions of Siberian Jurassic and their significance for Circum-Arctic correlations. RUSSIAN GEOLOGY AND GEOPHYSICS, AUG 2011
Prischepa, O. M. Petroleum systems of the Timan-Pechora sedimentary basin (including the offshore Pechora Sea). RUSSIAN GEOLOGY AND GEOPHYSICS, AUG 2011
[view all 4 citing articles]
Create Citation Alert

Related Records:
Find similar Web of Knowledge records based on shared references
[view related records]

Труды сотрудников ...

Web of Science Additional Resources

Search Author Finder Cited Reference Search Advanced Search Search History

Web of ScienceSM

Citing Articles Title: **Geology and hydrocarbon resources of the continental shelf in Russian Arctic seas and the prospects of their development**
Author(s): **Kontorovich A. E.; Epov M. I.; Burshtein L. M.; et al.**
Source: **RUSSIAN GEOLOGY AND GEOPHYSICS** Volume: **51** Issue: **1** Pages: **3-11** DOI: **10.1016/j.rgg.2009.12.003** Published: **JAN 2010**
[Citation Map](#)

This article has been cited by articles indexed in the databases listed below. [more information]

4 in All Databases

- 4 in Web of Science
- 0 in BIOSIS Citation Index
- 0 in Chinese Science Citation Database

Results: 4 Page 1 of 1 Go Sort by: Publication Date -- newest to oldest

Hide Refine

Refine Results

Search within results for [Search](#)

Web of Science Categories [Refine](#)

GEOSCIENCES MULTIDISCIPLINARY (4)

Document Types [Refine](#)

ARTICLE (4)

Subject Areas

Authors

Group Authors

Editors

Source Titles

Publication Years

[+](#) (0) [Save to:](#) [EndNote Web](#) [EndNote](#) [ResearcherID](#) [more options](#) [Analyze Results](#) [Create Citation Report](#)

1. Title: **The continental shelf of the Russian Arctic region: the state of the art in the study and exploration of oil and gas resources**
Author(s): Kaminskii V. D.; Suprunenko O. I.; Suslova V. V.
Source: RUSSIAN GEOLOGY AND GEOPHYSICS Volume: 52 Issue: 8 Pages: 760-767 DOI: 10.1016/j.rgg.2011.07.001 Published: AUG 2011
Times Cited: 0 (from Web of Science)
[View abstract](#)
2. Title: **Comprehensive zonal subdivisions of Siberian Jurassic and their significance for Circum-Arctic correlations**
Author(s): Shurygin B. N.; Nikitenko B. L.; Meledina S. V.; et al.
Source: RUSSIAN GEOLOGY AND GEOPHYSICS Volume: 52 Issue: 8 Pages: 825-844 DOI: 10.1016/j.rgg.2011.07.007 Published: AUG 2011
Times Cited: 0 (from Web of Science)
[View abstract](#)
3. Title: **Petroleum systems of the Timan-Pechora sedimentary basin (including the offshore Pechora Sea)**
Author(s): Prischepa O. M.; Bazhenova T. K.; Bogatskii V. I.
Source: RUSSIAN GEOLOGY AND GEOPHYSICS Volume: 52 Issue: 8 Pages: 888-905 DOI: 10.1016/j.rgg.2011.07.011 Published: AUG 2011
Times Cited: 0 (from Web of Science)
[View abstract](#)
4. Title: **Mineral resources and development in the Russian Arctic**

Труды сотрудников ...

Поиск в базе данных
ТРУДЫ СОТРУДНИКОВ ИИГТ И ИИГТ СО РАН
обновление: 3.08.2011
записей: 32219

На запрос "Автор(ы)-Элов MS" найдено записей: 328

Цитирование публикации в SCI - Windows Internet Explorer

Труды сотрудников ИИГТ и ИИГТ СО РАН (№ 30927) Цитирована публикация в Web of Science

Публикации:
Конторов А.Э., Элов М.И., Бурштейн Л.М., Каманский В.Д., Курчаков А.Р., Малышкин Н.А., Прищеп О.М., Сафронов А.Ф., Стукалова А.В., Супруненко О.И.
Геология, ресурсы углеводородов шельфов арктических морей России и перспективы их освоения // Геол. и геофиз. - 2010. - Т. 51. - № 1. - С. 7-17

Данные по цитированию на 03.08.2011 г.

2010	Сумма	Цит. в год с 2010 г.
1	1	0.50

Труды сотрудников ИИГТ и ИИГТ СО РАН (№ 030348)
Элов М.И., Морозова Г.А.
Зондирование становлением электромагнитного поля в магнитной среде // Геол. и геофиз. - 2010. - Т. 51. - № 2. - С. 257-263

Труды сотрудников ИИГТ и ИИГТ СО РАН (№ 031762)
Алимов А.Б., Шурина Э.П., Элов М.И.
Исследование оптимизации дефектов стенок скважины на результаты высокочастотного индукционного каротажа // Каротажник. - 2010. - № 6(195). - С. 42-57

Труды сотрудников ИИГТ и ИИГТ СО РАН (№ 030829)
Алимов Ю.М., Элов М.И., Валеров Е.М.
Новые электромагнитные парапараметрические зондирования [NEW ELECTROMAGNETIC ISOPARAMETRIC SOUNDINGS] // Каротажник. - 2010. - № 5. - С. 61-63

Труды сотрудников ИИГТ и ИИГТ СО РАН (№ 030440)
Элов М.И., Козлов К.Н., Ельцов И.Н., Петров А.Н., Сухарюкова К.В., Соболев А.Ю., Власов А.А.
Новый аппаратный комплекс геофизического каротажа СКР и программно-методические средства интерпретации EMP PRO // Бурение & нефть. - 2010. - № 2. - С. 16-19

Труды сотрудников ИИГТ и ИИГТ СО РАН (№ 030687)
Элов М.И., Козлов К.Н., Еремин В.Н., Петров А.Н., Волганин Ю.М., Касинев Б.В., Сухарюкова К.В., Глинских Е.Н., Соболев А.Ю.,

Scopus

Scopus

Home | ScienceDirect | Scopus | Applications

Nikolai A. Mazov | Logout | Go to Scopus Suite

Search | Sources | Analytics | Alerts | My list | Settings

Help | Tutorials

Quick Search

Alerts

Search alerts | Author citation alerts | Document citation alerts

Manage the alerts you have set in Scopus.

Note: Results from non-Scopus databases will not be included in the alert e-mails.

Search Alerts

You will receive an alert each time one of these searches renders new results in Scopus [Set new search alert](#)

Saved on	Alert name	Searches	Frequency	View	Set feed	Edit	Delete	Status
3 7 Feb 2012	Scopus_IPGG	AU-ID("Kontorovich, A. Ek" 2447094109) OR AU-ID("No. Author ID found") 3527093300	Every week	New results				Active
2 7 Feb 2012	Portret_IPGG_Scopus	doi:2-s2.0-84855179183 OR 2-s2.0. 84855179183 OR 2-s2.0- 84855179183	Every month	New results				Active
1 25 Oct 2011	Scopus_IPGG_20111025	AU-ID("Kontorovich, A. Ek" 2447094109) OR AU-ID("No. Author ID found") 3527093300	Every week	New results				Active

[Top of page](#)

Author Citation Alerts

When you set an Author Citation Alert you will receive an e-mail each time a document of that author is cited in Scopus. [Set new author citation alert](#)

No Author Citation Alerts have been set, click on [Set new author citation alert](#) to set a new alert.

Document Citation Alerts

When you set a Document Citation Alert you will receive an e-mail each time that document is cited in Scopus. [Set new document citation alert](#)

No Document Citation Alerts have been set, click on [Set new document citation alert](#) to set a new alert.

Scopus

0017676280 OR 2-62.0-001767715 OR 2-62.0-001767713 OR 2-62.0-001754998 OR 2-62.0-3425027289 OR 2-62.0-001749670 OR 2-62.0-0017452540 OR 2-62.0-0022129701 OR 2-62.0-0017403738 OR 2-62.0-0017419923 OR 2-62.0-0017386321 OR 2-62.0-0016896365 OR 2-62.0-0017214878 OR 2-62.0-0017217123 OR 2-62.0-4834813628 OR 2-62.0-0016877836 OR 2-62.0-0016840904 OR 2-62.0-0016812898 OR 2-62.0-0016832966 OR 2-62.0-0016828831 OR 2-62.0-0016809138 OR 2-62.0-0016888158 OR 2-62.0-0016850985 OR 2-62.0-3425039511 OR 2-62.0-0016813743 OR 2-62.0-3425039185 OR 2-62.0-00168459579 OR 2-62.0-34250423075 OR 2-62.0-0809359918 OR 2-62.0-00168061647 OR 2-62.0-34250415869 OR 2-62.0-0016054226 OR 2-62.0-34250411058 OR 2-62.0-0009424288 OR 2-62.0-0016938261 OR 2-62.0-0016038958 OR 2-62.0-0016027728 OR 2-62.0-49549168925 OR 2-62.0-49549167402 OR 2-62.0-0016817964 OR 2-62.0-0016015514 OR 2-62.0-0016615515 OR 2-62.0-49549171651 OR 2-62.0-49649148445 OR 2-62.0-0014988892 OR 2-62.0-51649183978 OR 2-62.0-49849110800 OR 2-62.0-49849115453 OR 2-62.0-4984912862 OR 2-62.0-0014846698 OR 2-62.0-49849118184 OR 2-62.0-51649188567 OR 2-62.0-51649188491 OR 2-62.0-0014778733 OR 2-62.0-51649179998 OR 2-62.0-51649191385 OR 2-62.0-0014748385 OR 2-62.0-0014710031 OR 2-62.0-51649174959 OR 2-62.0-49949129583 OR 2-62.0-51649189447 OR 2-62.0-0014294448 OR 2-62.0-49949140580 OR 2-62.0-51649189199 OR 2-62.0-17144472485 OR 2-62.0-51649177856 OR 2-62.0-51649180226 OR 2-62.0-51649185980 OR 2-62.0-51649188017 OR 2-62.0-51649183854 OR 2-62.0-51649175884 OR 2-62.0-51649172170 OR 2-62.0-51649179830 OR 2-62.0-51649185476 OR 2-62.0-34250596129 OR 2-62.0-82955188183 OR 2-62.0-82955188172 OR 2-62.0-7885058939 OR 2-62.0-78149476893 OR 2-62.0-77956234698 OR 2-62.0-77956261320 OR 2-62.0-77956259819 OR 2-62.0-77953810160 OR 2-62.0-72549113800 OR 2-62.0-72549101540 OR 2-62.0-77952846840 OR 2-62.0-68349158707 OR 2-62.0-77949123741 OR 2-62.0-60849120739 OR 2-62.0-45449660242 OR 2-62.0-45449108810 OR 2-62.0-45349098782 OR 2-62.0-34547185951 OR 2-62.0-34250728655 OR 2-62.0-33845710347 OR 2-62.0-33847112533 OR 2-62.0-33748770050 OR 2-62.0-33748980025 OR 2-62.0-33645119790 OR 2-62.0-33645112880 OR 2-62.0-33645119277 OR 2-62.0-33747840509 OR 2-62.0-33747879512 OR 2-62.0-33747851711 OR 2-62.0-26844470907 OR 2-62.0-26844450637 OR 2-62.0-22744443738 OR 2-62.0-16844388290 OR 2-62.0-33645131490 OR 2-62.0-33747634615 OR 2-62.0-4644339411 OR 2-62.0-12844261088 OR 2-62.0-8744274139 OR 2-62.0-4143126715 OR 2-62.0-1642303298 OR 2-62.0-33644682625 OR 2-62.0-5644285943 OR 2-62.0-33746554284 OR 2-62.0-6344250963 OR 2-62.0-1242299799 OR 2-62.0-9141459887 OR 2-62.0-0141456618 OR 2-62.0-0037995234 OR 2-62.0-0035882774 OR 2-62.0-0036423619 OR 2-62.0-0036434176 OR 2-62.0-0036425677 OR 2-62.0-0035947843 OR 2-62.0-0036773082 OR 2-62.0-0035648799 OR 2-62.0-0035772332 OR 2-62.0-0035939456 OR 2-62.0-0035343144 OR 2-62.0-0034538163 OR 2-62.0-0005382250 OR 2-62.0-0000744485 OR 2-62.0-0033745111 OR 2-62.0-24344434597 OR 2-62.0-0034189429 OR 2-62.0-0034338523 OR 2-62.0-33747649192 OR 2-62.0-33747690456 OR 2-62.0-11144279041 OR 2-62.0-0033233965 OR 2-62.0-22644448744 OR 2-62.0-248444554253 OR 2-62.0-33747684148 OR 2-62.0-24844454821 OR 2-62.0-24844453702 OR 2-62.0-25644458653 OR 2-62.0-0091887256 OR 2-62.0-33747696525 OR 2-62.0-0032328360 OR 2-62.0-0009855385 OR 2-62.0-0000077991 OR 2-62.0-0007014823 OR 2-62.0-0003038488 OR 2-62.0-0030257388 OR 2-62.0-0030479852 OR 2-62.0-0029506903 OR 2-62.0-0029509181 OR 2-62.0-0028590496 OR 2-62.0-0027846237 OR 2-62.0-0027847186 OR 2-62.0-0027867226 OR 2-62.0-0027064240 OR 2-62.0-0026446847 OR 2-62.0-0026282758 OR 2-62.0-0025969030 OR 2-62.0-0026082221 OR 2-62.0-0025600647 OR 2-62.0-38248028218 OR 2-62.0-0024721124 OR 2-62.0-0024721043 OR 2-62.0-0024248222 OR 2-62.0-0024879842 OR 2-62.0-0024010582 OR 2-62.0-0024010455 OR 2-62.0-0023467198 OR 2-62.0-0022905014 OR 2-62.0-0022891679 OR 2-62.0-0021570917 OR 2-62.0-0021638467 OR 2-62.0-0021538897 OR 2-62.0-0021638880 OR 2-62.0-0021548685 OR 2-62.0-0021560752 OR 2-62.0-0019735271 OR 2-62.0-0018237618 OR 2-62.0-0016923642 OR 2-62.0-9244263160 OR 2-62.0-0006940274 OR 2-62.0-0942281529

Analyze results | Edit | Save | Set alert | View search history

View secondary documents

Document results: **1,932** [Show all abstracts](#) Go to page: of 97 [Go](#) | [Next](#) >

All With abstracts
 Page Download Export Print Email Create bibliography Add to My List View citation overview View cited by View references Sort by: **Cited by**

Document title	Author(s)	Date	Source title	Cited by
1 <input type="checkbox"/> Assembly, configuration, and break-up history of Rodinia: A synthesis	Li, Z.X., Bogdanova, S.V., Collins, A.S., Davidson, A., De Wit, B., Ernst, R.E., Fitzsimons, I.C.W., (.), Vamkowsky, V.	2006	Precambrian Research 160 (1-2), pp. 179-210	393
2 <input type="checkbox"/> A new method of separation of multi-atomic ions by mobility at atmospheric pressure using a high-frequency amplitude-asymmetric strong electric field	Buryakov, I.A., Krylov, E.V., Nazarov, E.G., Rusakov, U.Kh.	1993	International Journal of Mass Spectrometry and Ion Processes 128 (3), pp. 143-148	188
3 <input type="checkbox"/> Age of Neoproterozoic trilobian body and trace fossils, White Sea, Russia: Implications for metaoan evolution	Martin, M.W., Grizhadinin, D.V., Bowring, S.A., Evans, D.A.D., Fedorin, M.A., Kirschvink, J.L.	2000	Science 288 (5467), pp. 841-845	160
4 <input type="checkbox"/> Opening and tectonic evolution of the Paleo-Asian ocean	Dobretsov, N.L., Berzin, N.A., Buslov, M.M.	1995	International Geology Review 37 (4), pp. 335-360	138
5 <input type="checkbox"/> 40Ar/39Ar dates from the West Siberian Basin: Siberian flood basalt province doubled	Reichow, M.K., Saunders, A.D., White, R.V., Pringle, M.S., Al'Mukhamedov, A.I., Medvedev, A.I., Kita, N.P.	2002	Science 296 (5574), pp. 1846-1848	134
6 <input type="checkbox"/> Last glacial maximum biomes reconstructed from pollen and plant macrofossil data from northern Eurasia	Tarasov, P.E., Volkova, V.S., Webb III, T., Giese, J., Andreev, A.A., Bezusko,	2000	Journal of Biogeography 27 (3), pp. 609-620	121

06.02.2014

ИНГГ СО РАН - 2013

15

Scopus

WoS

запись 103 из 107 найденных (выданы с 101 по 107)

Номер в БД: 034560 - БД Труды ИНГГ и ИГМ СО РАН
Вид документа: публикация в сериальном издании
Язык публикации: английский
Авторы: Dahren B.; Troll V.R.; Andersson U.B.; Chadwick J.P.; Gardner M.F.; Jaxybulatov K.; Koulakov I.
Заглавие на языке оригинала: Magma plumbing beneath Anak Krakatau volcano, Indonesia: evidence for multiple magma storage regions
Название первоисточника: Contributions to Mineralogy and Petrology
Международный индекс ISSN: 0010-7999
Номер тома: 163
Номер выпуска: 4
Год публикации: 2012
Страницы: 631-651
Код рубрики ГРНТИ: 38.57.23
Ключевые слова: Thermobarometry; Clinopyroxene; Plagioclase; Magma plumbing; Seismic tomography
Реферат (английский): Understanding magma plumbing is essential for predicting the behaviour of explosive volcanoes. We investigate magma plumbing at the highly active Anak Krakatau volcano (Indonesia), situated on the rim of the 1883 Krakatau caldera by employing a suite of thermobarometric models. These include clinopyroxene-melt thermobarometry, plagioclase-melt thermobarometry, clinopyroxene composition barometry and olivine-melt thermometry. Petrological studies have previously identified shallow magma storage in the region of 2-8 km beneath Krakatau, while existing seismic evidence points towards mid- to deep-crustal storage zone(s), at 9 and 22 km, respectively. Our results show that clinopyroxene in Anak Krakatau lavas crystallized at a depth of 7-12 km, while plagioclase records both shallow crustal (3-7 km) and sub-Moho (23-28 km) levels of crystallization. These magma storage regions coincide with well-constrained major lithological boundaries in the crust, implying that magma ascent and storage at Anak Krakatau is strongly controlled by crustal properties.

Наличие полного E-текста: да

WoS

запись 104 из 107 найденных (выданы с 101 по 107)

Номер в БД: 034973 - БД Труды ИНГГ и ИГМ СО РАН
Вид документа: публикация в сериальном издании
Язык публикации: английский
Авторы: Dzierma Y.; Rabbel W.; Thorwart M.; Koulakov I.; Wehrmann H.; Hoernle K.; Comte D.
Заглавие на языке оригинала: Seismic velocity structure of the slab and continental plate in the region of the 1960 Valdivia (Chile) slip maximum - Insights into fluid release and plate coupling
Название первоисточника: Earth and Planetary Science Letters
Международный индекс ISSN: 0012-821X
Номер тома: 331-332
Год публикации: 2012
Страницы: 164-176
Наличие иллюстраций, таблиц: il.
Код рубрики ГРНТИ: 38.57.23
Наличие полного E-текста: да

WoS

запись 105 из 107 найденных (выданы с 101 по 107)

Scopus

Scopus - Document details - Windows Internet Explorer
http://www.scopus.com/record/display.url?origin=recordpage&eid=2-s2.0-84858448142

SciVerse Scopus Hub | ScienceDirect | Scopus | Applications Nikolai A. Mazov | Logout | Go to SciVal Suite

Search | Sources | Analytics | Alerts | My list | Settings Help | Tutorials

Quick Search Search

1 of 1
View at publisher | Download | Export | Print | E-mail | Create bibliography | Add to My List

Contributions to Mineralogy and Petrology
Volume 163, Issue 4, April 2012, Pages 631-651

Magma plumbing beneath Anak Krakatau volcano, Indonesia: Evidence for multiple magma storage regions

Dahren, B.^a, Troll, V.R.^a, Andersson, U.B.^{ae}, Chadwick, J.P.^b, Gardner, M.F.^c, Jaxybulatov, K.^d, Koulakov, I.^d

- ^a Department of Earth Sciences, CEMPEG, Uppsala University, Uppsala, Sweden
- ^b Department of Petrology, Vrije Universiteit Amsterdam, Amsterdam, Netherlands
- ^c Department of Geology, University College Cork, Cork, Ireland
- ^d Institute for Petroleum Geology and Geophysics, SB RAS, Novosibirsk, Russian Federation
- ^e Research Department, Swedish Museum of Natural History, Stockholm, Sweden

View references (88)

Abstract
Understanding magma plumbing is essential for predicting the behaviour of explosive volcanoes. We investigate magma plumbing at the highly active Anak Krakatau volcano (Indonesia), situated on the rim of the 1883 Krakatau caldera by employing a suite of

Cited by since 1996

This article has been cited 0 times in Scopus.

Inform me when this document is cited in Scopus:
Set alert | Set feed

Related documents

Showing the 2 most relevant related documents by all shared references:

Jaxybulatov, K., Koulakov, I., Seht, M.I.V.
Evidence for high fluid/melt content beneath Krakatau volcano (Indonesia) from local earthquake tomography
(2011) *Journal of Volcanology and Geothermal Research*

Putirka, K.D.
Thermometers and barometers for volcanic systems
(2008) *Reviews in Mineralogy and Geochemistry*

View all related documents based on all shared references or select the shared references to use

Код рубрики ГРНТИ: 38.57.23
Наличие полного E-текста: да

1. HistCite (Thomson Reuters)

HistCite® Version 12.03.17 (20.05.2012 г.)

• **Доступно подписчикам WoS**

<http://www.histcite.com/>

• **Анализ результатов поиска в WoS**

- ✓ **вид документа, язык, журналы**
- ✓ **страны, организации, авторы**
- ✓ **ссылки цитирования**
- ✓ **ключевые слова, др.**

HistCite



THOMSON REUTERS

Contact Us

Search



HOME

PRODUCTS & SERVICES

NEWS & IDEAS

INVESTOR RELATIONS

ABOUT US

CAREERS

SCIENCE HOME > PRODUCTS & SERVICES > PRODUCTS A - Z > HistCite

SCIENCE

PRODUCTS A - Z

PRODUCTS & SERVICES

Biopharmaceutical Business
Intelligence

Scientific Research

Intellectual Property

[Products A - Z](#)

SCHOLARLY RESEARCH,
PUBLISHING AND ANALYSIS

LIFE SCIENCES KNOWLEDGE HUB

SYSTEMS BIOLOGY HOME

SUPPORT

CONTACT SCIENCE

OFFICE LOCATIONS

FREE SCIENTIFIC RESOURCES

TRAINING

CONFERENCES & EVENTS

HISTCITE

LATEST UPDATE: HISTCITE® VERSION 12.03.17

In order to take advantage of improvements to make HistCite compatible with search and export features in the new version of *Web of Knowledge*, please download the latest version of HistCite.

HistCite, **available for free to Web of Science subscribers**, is a flexible software solution to aid researchers in visualizing the results of literature searches in *Web of Science*. HistCite lets you analyze and organize the results of a search to obtain various views of the topic's structure, history, and relationships. It is easy, fast, and provides perspectives and information not otherwise available.

HistCite is a software implementation of *algorithmic historiography*, and has been developed by [Dr Eugene Garfield](#), founder of the Institute for Scientific Information and the inventor of the Science Citation Index®.

[OVERVIEW](#)

[FEATURES](#)

[TECH SPECS](#)

HistCite goes back to an idea that I had 40 years ago in terms of visualizing and mapping the relationships to citation data.

-DR. EUGENE GARFIELD

CONTACT US

NORTH AMERICA

Tel: +1 800.336.4474

Tel: +1 215.386.0100

Fax: +1 215.386.2911

Feedback

HistCite

INTELLECTUAL PROPERTY & SCIENCE



THOMSON REUTERS

Site Search



[HOME](#) | [PRODUCTS & SERVICES](#) | [SUPPORT & TRAINING](#) | [CONTACT US](#)

Global Sites ▼

HISTCITE

Thank you, your information has been submitted.

[Download HistCite \(MSI File, 7.3 MB\)](#)

© 2012 THOMSON REUTERS

[Privacy Policy](#)

[About Us](#)

[Press Room](#)

[Product Logins](#)

[Events](#)

[Contact Us](#)

HistCite

File Analyses View Tools Help

HistCite™

Untitled Collection

Grand Totals: LCS 25, GCS 55, CR 629

Collection span: 1989 - 2011

List of All Records

Records: 62, Authors: 229, Journals: 10, Cited References: 518, Words: 266

[Yearly output](#) | [Document Type](#) | [Language](#) | [Institution](#) | [Institution with Subdivision](#) | [Country](#)

#	Date / Author / Journal	LCS	GCS	LCR	CR
1	30 Nevedrova NN, Epov MI, Dashevskii YA Determination of rock mass structure and results of active electromagnetic monitoring on the Baikal prognostic proving ground JOURNAL OF MINING SCIENCE. 2004 MAY-JUN; 40 (3): 244-258	0	0	0	31
2	57 Kontorovich AE, Epov MI, Burshtein LM, Kaminskii VD, Kurchikov AR, et al. Geology and hydrocarbon resources of the continental shelf in Russian Arctic seas and the prospects of their development RUSSIAN GEOLOGY AND GEOPHYSICS. 2010 JAN; 51 (1): 3-11	0	4	0	28
3	44 Epov MI, Nevedrova NN, Sanchaa AM Goelectrical model of the Barguzin basin in the Baikal rift zone RUSSIAN GEOLOGY AND GEOPHYSICS. 2007 AUG; 48 (7): 626-641	0	2	1	26
4	26 Epov MI, Antonov EY, Pavlov EV Frequency dependence of electromagnetic parameters and spatial heterogeneity in high-resolution electrical prospecting GEOLOGIYA I GEOFIZIKA. 2004; 45 (6): 742-751	0	0	0	25
5	14 Nevedrova NN, Epov MI, Antonov EY, Dashevsky YA, Duchkov AD Deep structure of the Chuya Basin (Gorny Altai), as imaged by TEM soundings GEOLOGIYA I GEOFIZIKA. 2001; 42 (9): 1399-1416	1	1	1	24
6	40 Rabinovich M, Tabarovskiy L, Corley B, van der Horst J, Epov M Processing multi-component induction data for formation dips and anisotropy PETROPHYSICS. 2006 DEC; 47 (6): 506-526	0	8	0	23
7	54 Glinskikh VN, Epov MI Conductivity of layered reservoirs in induction data processing: continuous-function approximation RUSSIAN GEOLOGY AND GEOPHYSICS. 2009 AUG; 50 (8): 728-733	0	0	1	20
8	58 Epov MI, Morozova GM TEM soundings in magnetic media RUSSIAN GEOLOGY AND GEOPHYSICS. 2010 FEB; 51 (2): 204-208	0	0	2	18
9	11 Epov MI, Antonov EY	1	1	0	17

2. BibExcel (by Olle Persson, Sweden)

Программа для анализа данных из WoS, Scopus и др. систем по различным полям данных, отформатированных соответствующим образом.

Позволяет подготовить файлы данных, которые могут быть импортированы в Excel, или любую программу, работающую с табличными данными, для дальнейшей обработки.

BibExcel

BibExcel Version 2009 XP (20.05.2012 г.)

• **Доступно по адресу**

<http://www8.umu.se/inforsk/Bibexcel/>

• **Анализ результатов поисков в WoS, Scopus, WinSpirs, Compendex и др.**

- ✓ **авторы, соавторство, индекс Хирша**
- ✓ **журналы**
- ✓ **ссылки цитирования**
- ✓ **ключевые слова, др.**

BibExcel

Select file here

C:\
fakepath

- epov-m-20111121.txt.hci
- epov-m-2012.cit
- epov-m-2012.coc
- epov-m-2012.doc
- epov-m-2012.out
- epov-m-2012.oux
- epov-m-2012.tx2
- epov-m-2012.txt

c:
epov-m-2012.doc

View file

Frequency distribution

Select type of unit

Start

Min number

Sort descending

Max number

Remove duplicates

Any number

Make new out-file

Fractionalize

Old Tag Add field to units

New Tag Add new field to docs

Select field to be analysed, view file to get info about which fields are available.

Select documents Start

Select rows Start

Type new file name here

The List Copy Paste Add Clear Delete 1st column

PT- J|

AU- Epov M; Pospeeva EV; Vitte LV|

AF- Epov M. I; Pospeeva, E. V; Vitte, L. V|

TI- Crust structure and composition in the southern Siberian craton (influence zone of Baikal rifting), from magnetotelluric SO- RUSSIAN GEOLOGY AND GEOPHYSICS|

LA- English|

DT- Article|

DE- magnetotelluric (MT) soundings; resistivity; rift-related faults; collision zone; igneous and metamorphic rocks|

ID- REGION|

AB- The magnetotelluric (MT) profile traverses the southeastern edge of the Siberian craton and the adjacent Paleozoic C1- [Epov, M. I; Pospeeva, E. V.; Vitte, L. V.] Russian Acad Sci, Siberian Branch, AA Trofimuk Inst Petr Geol & Geophys, RP- Pospeeva, EV (reprint author), Russian Acad Sci, Siberian Branch, AA Trofimuk Inst Petr Geol & Geophys, Pr Akad K EM- pospeevaev@ipgg.nsc.ru|

CD- Spichak V.V., 2009, ELECTROMAGNETIC DATA; Berdichevsky M.N., 2009, MAGNETOTELLURIC SURV; Golubev V.A. NR- 37|

Search View whole file

BibExcel

The screenshot shows the BibExcel application window. The title bar reads "BibExcel - A toolbox for bibliometricians, by Olle Persson, Version 2012-05-22". The menu bar includes "File", "Edit doc file", "Edit out-files", "Add data classify", "Analyze", "Misc", "Mapping", and "Help". The "Analyze" menu is open, listing options such as "Add frequencies", "Co-occurrence", "Citations among docs", "Docs and units matrices", "h-index", "List units in pairs", "Make a matrix for MDS etc", "Make a pairlist including zero pairs", "Select pairs from pairlist", "Select strongest links", "Shared units/coupling", "Units per record", and "Year lagging of pairs". The "h-index" option is highlighted. The main interface has a "Select file here" section with a file list and a "Frequency distribution" section with various checkboxes. A text area at the bottom right contains a snippet of a document's abstract and metadata.

Select file here

C:\
fakepath

- epov-m-20111121.txt
- epov-m-2012.cit
- epov-m-2012.coc
- epov-m-2012.doc
- epov-m-2012.out
- epov-m-2012.oux
- epov-m-2012.tx2
- epov-m-2012.txt

c:
epov-m-2012.doc

Frequency distribution

Select type of unit

Start

Sort descending

Remove duplicates

Make new out-file

Fractionalize

Any number

Old Tag Add field to units

New Tag Add new field to docs

Analysed, view file to get info
re available.

Select documents Start

Select rows Start

Type new file name here

Copy Paste Add Clear Delete 1st column

EV; Vitte LV]
a, E. V; Vitte, L. V]
composition in the southern Siberian craton (influence zone of Baikal rifting), from magnetotelluric
[Y AND GEOPHYSICS]

D1- Article]
DE- magnetotelluric (MT) soundings; resistivity; rift-related faults; collision zone; igneous and metamorphic rocks]
ID- REGION]
AB- The magnetotelluric (MT) profile traverses the southeastern edge of the Siberian craton and the adjacent Paleozoic
C1- [Epov, M. I.; Pospeeva, E. V.; Vitte, L. V.] Russian Acad Sci, Siberian Branch, AA Trofimuk Inst Petr Geol & Geophys,
RP- Pospeeva, EV (reprint author), Russian Acad Sci, Siberian Branch, AA Trofimuk Inst Petr Geol & Geophys, Pr Akad K
EM- pospeevaev@ipgg.nsc.ru]
CD- Spichak V.V., 2009, ELECTROMAGNETIC DATA; Berdichevsky M.N., 2009, MAGNETOTELLURIC SURV; Golubev V.A.
NR- 37]

Search View whole file

3. Сайт Loet Leydesdorff

- Доступно по адресу <http://www.leydesdorff.net/>
- Набор ДОС программ для разбора, преобразования и анализа данных, полученных из различных БД: Scopus, WoS и Google Scholar
 - ✓ преобразование данных различных БД
 - ✓ страны, организации, авторы, соавторы
 - ✓ цитирование, социтирование
 - ✓ ключевые слова, др.

Сайт Loet Leydesdorff




(cv)

Science & Technology Dynamics, University of Amsterdam
[Amsterdam School of Communications Research \(ASCoR\)](#)
Kloveniersburgwal 48
1012 CX Amsterdam
The Netherlands

Tel: +31-20- 525 6598
Fax : +31-20- 525 3681
e-mail: loet@leydesdorff.net
<http://www.leydesdorff.net/>

Author Co-Citation Context of Loet Leydesdorff

Note: Based on 338 SSCI papers citing Leydesdorff L.
By Olle Persson, Inforsk



Сайт Loet Leydesdorff

- [Dynamic Visone \(CREEN\)](#) for the animation of network
- [Mapping the Geography of Science](#) (Leydesdorff & Persson, 2010)
- [Tl.exe](#) software for co-word mapping of texts (lines)
- [Fulltext.exe](#) software for co-word mapping of full texts
- [ISI.EXE](#) for organizing a set downloaded from the WoS into databases for relational database management
- [CoAuth.EXE](#) for visualization of the coauthorship network using a WoS set
- [BibCoupl.EXE](#) for visualization of the bibliographic coupling among authors using a WoS set
- [BibJourn.EXE](#) for visualization of the bibliographic coupling in terms of cited journals

Сайт Loet Leydesdorff

- [IntColl.EXE](#) for visualization of international collaboration
- [InstColl.Exe](#) for the analysis and visualization of institutional collaboration
- [Scop2ISI.EXE](#) for reorganizing Scopus output files into the tagged format of the Web-of-Science. (Note that the CR-field is differently organized!)
- [Scopus.Exe](#) for the organization of Scopus output into files for relational database management (MS Access, dBase)
- [GScholar.Exe](#) for the organization of Google Scholar files into files for relational database management (MS Access, dBase)
- [Google.Exe](#) for the organization of Google files into files for relational database management (MS Access, dBase)
- [Acc2ISI.exe](#) for the reverse route of turning databases (exported from MS Access) into the «tagged» format of the WoS

Сайт Loet Leydesdorff

[return to home page](#)

Scopus to ISI-format ([Scop2ISI.exe](#))

This program enables one to read a file which is exported from the Scopus database in the csv-format. The input file should be named **scopus.csv**. The program and the input file should be in the same folder (directory).

The program produces a file **isi.txt** which contains the information in the tagged-format of the ISI output. This file can be used as input to most of my programs. (The file has to be renamed to data.txt for this purpose.)

One major difference between the Scopus and ISI output is the use of the abbreviated journal names in the ISI output. These are used in the cited references by the ISI, but Scopus uses the full journal names. The program [BibJourn.Exe](#) is affected by this difference. (HistCite™ hitherto has the same problem.) I have not yet made a version of this routine for Scopus data. The other routines should work smoothly like in the case of ISI data.

The current version is in the development phase. Please, feel free to feedback with suggestions for improvements.

The current version was revised on February 27, 2010.

How to export from Scopus into clean ISI format

1. Run your Scopus search request
2. Select the document entries you would like to export
3. Hit "Export" and select "Text (ASCII format)" as the export format. Scopus' upper limit for exports is 2000 documents. Thus, you may have to split your search request into several smaller parts. If you are searching for names, this can be done easily. Otherwise, e.g. when you are searching for keywords, it helps to narrow down your results by date ranges. (Note: So far, I have only exported "Citations only". The following may or may not work smoothly with other output variants.)
4. Usually, the ASCII export is output in your browser. Save it as a text document. (Note: If you get a chance to select the character encoding of your text file, make sure to save it into UTF-8 format. Usually, however, this is done automatically.)
5. If you had to split your search request you may now put your export files back together into one file. Just make sure to remove the first three lines ("Scopus\EXPORT DATE...\...") of all the text files you append. These three lines must only appear once and at the top of the resulting document.
IMPORTANT NOTE: For all operations on the exported data you should not use Windows' native plain text editor or WordPad. There appears to be a risk for loosing unicode characters. Microsoft Word and the Open Office software both work well.
6. Download/save the tools [Scopus.exe](#) and [Acc2ISI.exe](#) into the same folder where the export file from Scopus is located.
7. Scopus.exe does not take any argument, but it expects a file named "data.txt" as input. Thus, you may now rename your (merged) export file accordingly. Run Scopus.exe.
8. Do not rename any of the output database files. Run Acc2ISI.exe, without arguments. The new file ISI.txt contains all exported document entries in clean ISI format and can be used as input to many other programs.

Benjamin Schwalb,
22 August 2011

Сайт Loet Leydesdorff

[IntColl.exe for International Collaboration Analysis](#)

The program enables one to generate a representation of the international coauthorship relations in a document set in terms of the participating countries. Input is a set saved using ISI's Web of Science, and outputs are:

1. *cosine.dat* provides an input file for Pajek as a visual representation of the international collaboration network among the authors within the set. The matrix is normalized using the cosine.
2. *cosine.dat* and *matrix.dbf* are the files which underlie *cosine.dat*. *cosine.dat* is the file having normalization, and *matrix.dbf* the symmetrical data matrix. The latter file can be used for statistical analysis in SPSS, the former for graph-analytical analysis using UCInet or Pajek.
3. Like ISI EXE, the program IntColl EXE produces four databases containing the information in the original input set in relational format: *author.dbf* with the authors, *country.dbf* with the address ("corporate centers"), *journal.dbf* with information which is unique for each record (e.g., the title), and *article.dbf* containing the cited references. The files are linked through the numbers in *article.dbf*. If one needs only these files, one is advised to use ISI EXE, since the comparison of the cosine to compute references and identify time-consuming.

The routine creating the matrix and the cosine-normalized output uses the country names in the file *country.dbf* as variable names, and the records in *journal.dbf* as the cases (rows). The number of documents is unlimited. The country names can be edited in the output files using an ASCII editor (e.g., Notepad). These wishes in ascending (England + Scotland + Wales + Northern Ireland) into a single field "UK." This has to be changed in the input file ("data.txt").

The program is based on DOS legacy software. It runs in a MS Dos Command Box under Windows. The programs and the input files have to be contained in the same folder. The output files are written into this directory. Please, note that existing files from a previous run are overwritten by the program. The user is advised to save output elsewhere if one wishes to continue with these materials.

input files

The input file has to be saved as a so-called marked list in the tagged format from the *Science Citation Index*, *Social Science Citation Index*, *Arts & Humanities Citation Index* at the Web of Science. The default filename "savedres.txt" should not be used, but "data.txt" instead.

output files

The program produces four output files in dBase IV format. These files can be read into Excel and/or SPSS for further processing. They can also be used in MS Access for relational database management. These files can be produced by using the simpler ISI EXE (which is much less intensive in the computation).

[Click here to download ISLEXE](#)

Like CoAsth, BibCoup, BibForm additionally produces two files with the extension ".dat" (*cosine.dat* and *cosoc.dat*) are in DL format (ASCII) which can be read directly into Pajek for the visualization (Pajek is freely available at <http://vlado.fmf.uni-lj.si/pub/networks/pajek/>). These country names in these files can be edited using an ASCII editor (e.g., Notepad). A number of additional databases are reproduced:

- a. *matrix.dbf* contains the matrix of the documents as the cases and the journal names in the references in the set as the variables. This file can be imported into SPSS for further analysis.
- b. *cosoc.dbf* contains a co-occurrence matrix of the journal names from this same data. This matrix is symmetrical and it contains the journal names both as variables and as labels in the first field. The main diagonal is set to zero. The number of co-occurrences is equal to the multiplication of occurrences in each of the texts. (The procedure is similar to using the file *matrix.dbf* as input to the routine "affiliations" in UCInet, but the main diagonal is here set to zero in this matrix.) The file *cosoc.dat* contains this information in the DL format.
- c. *cosine.dbf* contains a normalized co-occurrence matrix of the journal names from the same data. Normalization is based on the cosine between the variables conceptualized as vectors (Salton & McGill, 1983). (The procedure is similar to using the file *matrix.dbf* as input to the corresponding routine in SPSS.) The file *cosine.dat* contains this information in the Pajek format. The size of the nodes is equal to the logarithm of the occurrences of the respective author; this feature can be turned on in Pajek.

[Click here to download Cosuth.EXE](#)

[Click here to download BibCoup.EXE](#)

[Click here for similar programs for Full Text and Co-Word Analysis](#)

[return to home page](#)

Заключение ...

Рассмотренный программно-технологический комплекс находится в опытно-промышленной эксплуатации с конца января 2011 г.

Данные, получаемые с WoS полностью интегрированы в БД Трудов сотрудников Института и Информационно-поисковую систему «Геология и геофизика».

Ведутся работы по интеграции БД EndNW и БД Труды сотрудников Института.



Спасибо за внимание!

**Мазов Николай Алексеевич,
зав. ИБЦ ИНГГ СО РАН**

Е-mail MazovNA@ipgg.sbras.ru

Тел. +7 383 333 22 16